

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section 1 - Identi	fication		
Product Identifier	BARE BONES [®] No-Rinse/No-Scrub L	iquifying Stripper		
Other means of identificatio	n 1058			
Recommended use	Floor finish remover.			
Recommended restrictions	For commercial and industrial use of	only.		
Manufacturer / Importer / S	upplier / Distributor Information			
Company Name	National Chemical Laboratories of PA, Inc.			
Address	401 N. 10th Street - Philadelphia, PA 19123			
Telephone	1 (215) 922-1200			
Supplier Email	info@nclonline.com			
Contact	CHEM-TEL			
Emergency Phone	1 (800) 255-3924			
	Section 2 - Hazard(s) I	dentification		
SDS Hazards	s and Warnings are based on the undiluted product. Refer	to diluted SDS for Rea	ady-To-Use Hazards ar	nd Warnings.
	Classification	Category		
Physical Hazards	Not Classified			
Health Hazards	Acute toxicity, dermal	4		
	Acute toxicity, inhalation	4		
	Acute toxicity, oral	4		
	Serious eye damage/eye irritation	1		
	Skin corrosion/irritation	- 1		
	Specific target organ toxicity, single exposure	3	TARGET ORGAN irritation	respiratory tract
OSHA defined hazards	Not Classified.			
Label Elements				
Signal Word	Danger			
Hazard Statement	Causes severe skin burns and eye damage. Harmful if swall irritation.	owed, in contact with	skin or if inhaled. May	cause respiratory
Precautionary statement				
Prevention	Do not breathe mist or vapor. Use only in well-ventilated a not eat, drink or smoke when using this product. Wash the			
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin with water/shower. Wash contaminated clothing befor comfortable for breathing. Immediately call a poison center minutes. Remove contact lenses, if present and easy to do.	re reuse. If inhaled: R r/doctor. If in eyes: Ri	emove person to fresh	air and keep
Storage	Store locked up. Store in a well-ventilated place. Keep cool			
Disposal	Dispose of contents/container in accordance with local/reg	ional/national/intern	ational regulations.	
lazard(s) not otherwise lassified (HNOC)	Not classified.			
	Section 3 - Composition/Inform	nation on ing	redients	
Mixture				
Hazardous Components	Ingredient Name		CAS #	%
	2-Butoxyethanol		111-76-2	25 - 45
	2-Amino Ethanol		141-43-5	5 - 10
	Section 4 - First-aid	Measures		
Inhalation	Move to fresh air. If not breathing, give artificial respi method if victim inhaled the substance. Induce artifici	ration or give oxygen ial respiration with th	e aid of a pocket mask	

valve or other proper respiratory medical device. Get medical attention immediately.

Skin contact					
	Remove contaminated clothing and sh contaminated clothing before reuse.	noes. Imm	ediately flush skin with plenty of v	vater. Get prompt medical atte	ention. Wash
Eye contact	Immediately flush eyes with plenty of remove contact lenses. Continue to rin		-		lids. Check and
Ingestion					Never give
ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.				
Most Important symptoms or effe	ects, acute and delayed				
	Causes skin and eye burns. May cause	e respirato	ory tract irritation. Symptoms may	be delayed.	
Indication of immediate medical a	attention and special treatment needed	I			
	Treat symptomatically.				
General Information	Ensure that medical personnel are aw medical attention is required. In case of			-	s. Immediate
	Section 5 - F	ire-fig	hting measures		
Suitable extinguishing media	Carbon dioxide, alcohol-resistant foan	n, dry che	mical, water spray, or water fog.		
Unsuitable extinguishing media	Do not use water jet as an extinguishe	er, as this	will spread the fire.		
Specific hazards arising from	None known.				
the chemical					
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. S fire.	Self-conta	ined breathing apparatus and full	protective clothing must be w	orn in case of
Fire-fighting equipment /instructions	Move containers from fire area if you	can do it v	without risk. Use water spray to ke	ep fire-exposed containers co	ol.
	Section 6 - Acci	denta	l release measures		
Personal precautions, protective	Isolate area. Keep unnecessary persor	nel away	. Use personal protection as recon	nmended in Section 8 of the SI	DS.
equipment and emergency procedures.	·····,,	,	· · · · · · · · · · · · · · · · · · ·		
	Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area with water.				
Methods and materials for containment and cleaning up	Contain spill. Absorb spill with vermic with water.	ulite or of	ther inert material, then place in a	container for chemical waste.	Flush area
				container for chemical waste.	Flush area
containment and cleaning up	with water. Avoid discharge into drains, water cou	irses or oi		container for chemical waste.	Flush area
containment and cleaning up	with water. Avoid discharge into drains, water cou Section 7 - I Do not get in eyes, on skin, or on cloth	urses or or Handli hing. Do n	nto the ground. ing and storage ot breathe mist or vapor. Keep cor	ntainer closed. Wash thorough	
containment and cleaning up Environmental precautions Precautions for safe handling	with water. Avoid discharge into drains, water cou Section 7 - I Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ	urses or or Handli ning. Do n ipment re	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI	ntainer closed. Wash thorough DS.	lly after
containment and cleaning up Environmental precautions	with water. Avoid discharge into drains, water cou Section 7 - I Do not get in eyes, on skin, or on cloth	urses or or Handli hing. Do n hipment re	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI	ntainer closed. Wash thorough DS.	lly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage,	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of	urses or or Handli hing. Do n lipment re t, cool and f children.	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI	ntainer closed. Wash thorough DS. from incompatible materials.	lly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage,	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of	urses or or Handli hing. Do n lipment re t, cool and f children.	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SE well-ventilated place. Store away	ntainer closed. Wash thorough DS. from incompatible materials.	lly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of	urses or or Handli ning. Do n ipment re t, cool and c children. e cont	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI well-ventilated place. Store away trollpersonal protect	ntainer closed. Wash thorough DS. from incompatible materials. ion	lly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components	with water. Avoid discharge into drains, water cou Section 7 - I Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000)	urses or or Handli ning. Do n ipment re t, cool and c children. e cont Type	nto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value	ntainer closed. Wash thorough DS. from incompatible materials.	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5)	Handli hing. Do n ipment re c, cool and c children. e cont Type TWA	nto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value 6 mg/m ³ , 3 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2)	urses or or Handli ning. Do n ipment re t, cool and c children. e cont Type	nto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value	ntainer closed. Wash thorough DS. from incompatible materials. ion	lly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2)	Handli hing. Do n ipment re c, cool and c children. e cont Type TWA	ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI well-ventilated place. Store away trollpersonal protecti Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111- US. ACGIH Threshold Limit Va Component	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues	Handli hing. Do n iipment re , cool and f children. e cont Type TWA TWA TWA Type	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI well-ventilated place. Store away trollpersonal protection Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value	ntainer closed. Wash thorough DS. from incompatible materials. ion	lly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 111- US. ACGIH Threshold Limit Va Component 2-Butoxyethanol (CAS 111-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues	Handli hing. Do n iipment re ; cool and f children. e cont Type TWA TWA TWA Type TWA	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI well-ventilated place. Store away crollpersonal protect Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111- 2-Butoxyethanol (CAS 111- 2-Butoxyethanol (CAS 111- 2-Amino Ethanol (CAS 141-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2)	Handli hing. Do n ipment re c, cool and f children. e cont Type TWA TWA TWA Type TWA STEL	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI well-ventilated place. Store away trollpersonal protection Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111- 2-Butoxyethanol (CAS 111- 2-Butoxyethanol (CAS 111- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5)	Handli hing. Do n iipment re ; cool and f children. e cont Type TWA TWA TWA Type TWA	nto the ground. ing and storage ot breathe mist or vapor. Keep cor ecommended in section 8 of the SI well-ventilated place. Store away crollpersonal protect Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111- US. ACGIH Threshold Limit Va Component 2-Butoxyethanol (CAS 111- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- US. NIOSH: Pocket Guide to C	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5)	Handli hing. Do n ipment re c, cool and c children. e cont Type TWA TWA TWA Type TWA STEL TWA	nto the ground. ing and storage ot breathe mist or vapor. Keep core ecommended in section 8 of the SI well-ventilated place. Store away trollpersonal protection Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111- US. ACGIH Threshold Limit Va Component 2-Butoxyethanol (CAS 111- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- US. NIOSH: Pocket Guide to C Components	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5) themical Hazards	Type TWA Type TWA Type TWA TWA TWA TYPE TWA TWA TWA TYPE TWA TWA TYPE	hto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SI well-ventilated place. Store away trollpersonal protection Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm Value	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- US. NIOSH: Pocket Guide to C Components 2-Amino Ethanol (CAS 141-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5) themical Hazards	Handli ning. Do n ipment re , cool and children. e cont Type TWA TWA Type TWA STEL TWA Type STEL	Anto the ground. ing and storage ot breathe mist or vapor. Keep core ecommended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm Value 15 mg/m ³ , 6 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Butoxyethanol (CAS 111- 2-Butoxyethanol (CAS 111- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- US. NIOSH: Pocket Guide to C Components 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5) themical Hazards	Handli ning. Do n ipment re , cool and children. e cont Type TWA TWA TWA Type TWA STEL TWA Type STEL TWA	hto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm Value 15 mg/m ³ , 6 ppm 8 mg/m ³ , 3 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ly after
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- US. NIOSH: Pocket Guide to C Components 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5) themical Hazards 43-5) 76-2)	Handli ning. Do n ipment re , cool and children. e cont Type TWA TWA Type TWA STEL TWA Type STEL	Anto the ground. ing and storage ot breathe mist or vapor. Keep core ecommended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm Value 15 mg/m ³ , 6 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ıly after Keep
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Butoxyethanol (CAS 111- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111- US. ACGIH. BEIs. Biological Es	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5) themical Hazards 43-5) 43-5) themical Hazards	Handli ning. Do n ipment re , cool and children. e cont Type TWA TWA TWA Type TWA STEL TWA Type STEL TWA	hto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SI well-ventilated place. Store away trollpersonal protections Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm Value 15 mg/m ³ , 6 ppm 8 mg/m ³ , 3 ppm 24 mg/m ³ , 5 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form Form	Ily after Keep
containment and cleaning up Environmental precautions Precautions for safe handling Conditions for safe storage, including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Butoxyethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- US. NIOSH: Pocket Guide to C Components 2-Amino Ethanol (CAS 141- 2-Amino Ethanol (CAS 141- 2-Butoxyethanol (CAS 111-	with water. Avoid discharge into drains, water cou Section 7 - 1 Do not get in eyes, on skin, or on cloth handling. Use Personal Protective Equ Keep containers tightly closed in a dry container closed. Keep out of reach of Section 8 - Exposure Air Contaminants (29 CFR 1910.1000) 43-5) 76-2) alues 76-2) 43-5) 43-5) themical Hazards 43-5) 43-5) cosure Indices	Handli ning. Do n ipment re c cool and c children. e cont Type TWA TWA TWA TWA STEL TWA Type STEL TWA Type STEL TWA	hto the ground. ing and storage ot breathe mist or vapor. Keep core commended in section 8 of the SE well-ventilated place. Store away trollpersonal protections Value 6 mg/m ³ , 3 ppm 240 mg/m ³ , 50 ppm Value 20 ppm 6 ppm 3 ppm Value 15 mg/m ³ , 6 ppm 8 mg/m ³ , 3 ppm	ntainer closed. Wash thorough DS. from incompatible materials. ion Form	ıly after Keep

Exposure guidelines

Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Reg	ulations, Title 8, Section 5155. Airl	borne Contaminants	
Components		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Can be absorbed though the skin.	
US.Minnesota Hazardous S	Substances List (Minn. Rules 5206.	0400).	
Components		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Skin designation applies.	
US.NIOSH: Pocket Guide to	o Chemical Hazards		
Component		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Can be absorbed though the skin.	
US.OSHA Table Z-1 Limits f	or Air Contaminants (29 CFR 1910	.100)	
Components		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Can be absorbed though the skin.	
US.OSHA Table Z-1-A (29 C	FR 1910.100)		
Components		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Can be absorbed though the skin.	
US.Rhode Island Hazardou	s Substances Right-to-Know Act (F	R.I. Gen. Laws Section 28-21-1 et. seq.)	
Components		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Can be absorbed though the skin.	
US.Tennesee. OELs Occup	ational Exposure Limkits, Table Z1	Α	
Components		Exposure	
2-Butoxyethanol (CAS 11	11-76-2)	Can be absorbed though the skin.	
Appropriate engineering controls	Provide adequate local exhau water supply and eye wash fa	st ventilation to maintain worker exposure below exposure limits. Provide easy access to cilities.	
Individual protection measures	s, such as personal protective equi	pment	
Eye/face protection	If use of product risks exposu	re to contact, wear safety glasses with side shields.	
Skin protection			
Hand protection	Impervious gloves are recomr	nended for prolonged use.	
Other	If use of product risk exposure	e to contact, wear suitable protective clothing.	
Respiratory protection	to an acceptable level (in cour	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.	
Thermal hazards	Wear appropriate thermal pro	otective clothing, when necessary.	
General hygiene considerations	Handle in accordance with go	od industrial hygiene and safety practice.	

Section 9 - Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Pale Straw.
Odor	Sassafras.
Odor threshold	Not available.
рН	11.7
Melting point/freezing point	Not available.
Initial boinging point and boiling range	212 °F (100 °C)
Flash point	>201°F (94°C) TCC
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	0.97 ± 0.01

Relative density temperature Solubilities (water) Partition Coefficient n- octanol/water	75 °F (23.9 °C) 100 % Soluble. Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from heat and direct sunlight. Contact with incompatible materials.
Incompatible materials	Oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide. Nitrogen oxides.

Section 11 - Toxicological information

Information on likely routes of e	exposure
Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Inhalation	Irritating to respiratory system. May cause burns in mucous membranes, throat, esophagus and stomach.
Skin contact	Causes skin burns.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns. May cause respiratory tract irritation. Symptoms may be delayed.

Information on toxicological effects.

Acute toxicity

Harmful if inhaled, absorbed through skin, or swallowed.

Actual contenty	Harman in minuted, ac	sorbea anoagn si	an, or swanowca.			
Components		Level	Туре	Code	Species	Results
2-Amino Ethanol (CAS 141-	43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
		Acute	Oral	LD50	Rat	1715 mg/kg
2-Butoxyethanol (CAS 111-7	76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
		Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
		Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
		Acute	Oral	LD50	Guinea pig	1.2 g/kg
		Acute	Oral	LD50	Mouse	1519 mg/kg
		Acute	Oral	LD50	Rabbit	0.32 g/kg
		Acute	Oral	LD50	Rat	560 mg/kg
Skin corrosion/irritation	Causes skin burns.					
Serious eye damage/ eye irritation	Causes serious eye da	amage.				
Respiratory sensitization	Not classified.					
Skin sensitization	Not classified.					
Germ cell mutagenicity	Not classified.					
IARC Monographs. Overall Evalu	ation of Carcinogenicity					
	Component			Result	Comment	
	2-Butoxyethanol (CA	S 111-76-2)		3	Not classifiable as to	carcinogenicity to humans.
Reproductive toxicity	Not classified.					
Specific target organ toxicity - single exposure	Irritating to respirator	ry system.				
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not classified.					
Chronic effects	•	ved in humans. Pro	•			d prolonged. These effects ney damage. These effects

	Section 12 - Ecological Information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	The product is expected to be biodegradable.		
Bioaccumulative potential	Not known.		
Partition coefficient n-octand	ol / water log (Kow)		
Components	Results		
2-Butoxyethanol (CAS 111-	.76-2) 0.83		
2-Amino Ethanol (CAS 141-	-43-5) -1.31		
Mobility in soil	Not available.		
Mobility in general	The product is water soluble and may spread in water systems.		
Other adverse effects	None known.		
	Section 13 - Disposal considerations		
Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.		
Local disposal regulations	Dispose of in accordance with local regulations.		
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.		
Waste from residues / unused products	Dispose in accordance with all applicable regulations.		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.		
	Section 14 - Transport information		
DOT	Not regulated as dangerous goods.		
ΙΑΤΑ	Not regulated as dangerous goods.		
IMDG	Not regulated as dangerous goods.		
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.		
	Section 15 - Regulatory Information		

Section 15 - Regulatory Information

US federal regulations	This product is a "Ha	zardous Chemical" as	defined by the OSHA Hazard Con	nmunication Standard, 29 CFR 1	1910.1200.		
TSCA Section 12(b) Ex	TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)			Not regulated.			
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) CERCLA Hazardous Substance List (40 CFR 302.4			Not on regulatory list.				
Componen	its		Result				
2-Butoxyet	thanol (CAS 111-76-2)		LISTED				
Superfund Amendme	ents and Reauthorization Act o	f 1986 (SARA)					
Hazard Categories	Immediate Hazard Ye	S					
	Delayed Hazard No)					
	Fire Hazard No)					
	Pressure Hazard No)					
	Reactivity Hazard No)					
SARA 302 Extremely	hazardous substance No	1					
SARA 311/312 Hazar	dous chemical Ye	S					
SARA 313 (TRI reporti	ing)						
Cher	nical name		CAS #	% by wt.			
2-Bu	toxyethanol		111-76-2	25 - 45			
Other federal regulations							
Clean Air Act (CAA) Se	ection 112 Hazardous Air Pollu	tants (HAPs) List	Not regulated	1.			
Clean Air Act (CAA) Se	ection 112(r) Accidental Releas	e Prevention (40 CFR	(1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	1.			
Safe Drinking Water A	Act (SDWA) Not regulate	d.					
Food and Drug Admin	nistration (FDA) Not regulate	d.					
US state regulations							
US.Massachusetts RTK	(- Substance List	Componer	nts				
		2-Butoxye	thanol (CAS 111-76-2)				
		2-Amino E	thanol (CAS 141-43-5)				
US.New Jersey Worke	r and Community Right-to-Kno		. ,				
		BARE BC	NES [®] No-Rinse/No-Scrub Liquifyi	ng Stripper 1058	Page 5 of 6		

		2-Amino Ethanol (CAS 141-43-5)			
US.Pennsylvania RTK - Hazardous Substances		Components			
		2-Butoxyethanol (CAS 111-76-2)			
		2-Amino Ethanol (CAS 141-43-5)			
US.Rhode Island RTK		Components			
		2-Butoxyethanol (CAS 111-76-2)			
		2-Amino Ethanol (CAS 141-43-5)			
US - California Proposition 65		California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or reproductive toxins.			
International Inventories					
Country(s) or region	Inventory Name		On Inventory (yes/no)*		
Australia	Australian Inventor	y of Chemical Substances (AICS)	Yes		
Canada	Domestic Substanc	es List (DSL)	Yes		
Canada	Non-Domestic Subs	stances List (NDSL)	No		
China	Inventory of Existin	ng Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)		Yes		
Europe	European List of Notifed Chemical Substances (ELINCS)		No		
Japan	Inventory of Existin	ng and New Chemical Substances (ENCS)	No		
Korea	Existing Chemicals List (ECL)		Yes		

New Zealand **New Zealand Inventory** Yes Philippines Philippine Inventory of Chemicals and Chemical Substances Yes **Unites States Puerto Rico Toxic Substances Control Act (TSCA) Inventory** Yes *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Se	Section 16 - Other information, including date of preparation or last version				
Revision date	6/1/2023				
Version #	03				
HMIS Hazard Codes	PPE A				
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, express				

of ed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.