

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 01-Dec-2023

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: AIRLIFT SMOKE & ODOR ELIMINATOR (AEROSOL)

Product Number: 6086
Recommended Use: Air freshener

Uses Advised Against: For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

## 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Gases Under Pressure Compressed gas

**GHS Label Elements** 

Signal Word: Warning

Symbols:

**Hazard Statements:** 

Contains gas under pressure; may explode if heated

**Precautionary Statements:** 

Prevention: Not Applicable

Response:

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Protect from sunlight. Store in a well-ventilated place

Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information: • Pressurized container: Do not pierce or burn, even after use

· Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

atal

May be harmful if swallowed

May cause skin irritation.

· May cause eye irritation

· Keep out of reach of children

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Revision Date: 01-Dec-2023

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Propane	74-98-6	1-5
Butane	106-97-8	1-5
Sorbitan Oleate	1338-43-8	0.1-1
Fragrance	PROPRIETARY	0.1-1
Polysorbate 80	9005-65-6	0.1-1
Sodium Benzoate	532-32-1	0.1-1
Phenethyl Alcohol	60-12-8	<0.1
Linalool	78-70-6	<0.1
Benzyl Acetate	140-11-4	<0.1
Phenylacetaldehyde Dimethyl Acetal	101-48-4	<0.1
Methyl Phenylbutanol	103-05-9	<0.1
Isopropylcyclohexanol	4621-04-9	<0.1
Isopropyl Myristate	110-27-0	<0.1
Hexamethylindanopyran	1222-05-5	<0.1
Hexahydro-Methanoindenyl Propionate	68912-13-0	<0.1
Geraniol	106-24-1	<0.1
Diethyl Malonate	105-53-3	<0.1
Citronellol	106-22-9	<0.1
Benzyl Alcohol	100-51-6	<0.1
Amyl Cinnamal	122-40-7	<0.1
2-T-Butylcyclohexyl Acetate	88-41-5	<0.1
2,4-Dimethyl-3-Cyclohexene Carboxaldehyde	68039-49-6	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention.

-Skin Contact: -Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Specific Hazards Arising from the

Chemical:

Dry chemical, CO2, water spray or alcohol-resistant foam.

Exposure to high temperature may cause containers to burst. Bursting aerosol containers

may be propelled from fire at high speed.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and Precautions for Firefighters:**  Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat. In the event of fire

and/or explosion do not breathe fumes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Remove all sources of ignition. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.

**Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 01-Dec-2023

#### 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse

by deliberately concentrating and inhaling contents may be harmful or fatal.

Storage Conditions: NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	
Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
Benzyl Acetate	TWA: 10 ppm	=	=
140-11-4			

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:**Skin and Body Protection:
Respiratory Protection:
Not required with expected use.
Not required with expected use.
Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol		
Color:	Colorless		
Odor:	Floral fragrance		
pH:	6.0-8.0		
Melting Point / Freezing Point:	No information available		
Boiling Point / Boiling Range:	100 °C / 212 °F		
Flash Point:	-104 °C / -155 °F		
Evaporation Rate:	No information available (Butyl acetate = 1)		
Flammability (solid, gas)	Non-Flammable Aerosol		
Upper Flammability Limit:	No information available		
Lower Flammability Limit:	No information available		
Vapor Pressure:	75-85 @ 20 °C		
Vapor Density:	No information available		
Specific Gravity:	0.957		
Solubility(ies):	No information available		
Partition Coefficient:	No information available		
Autoignition Temperature:	No information available		
Decomposition Temperature:	No information available		
Viscosity:	No information available		

## **10. STABILITY AND REACTIVITY**

Revision Date: 01-Dec-2023

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

**Products:** 

# 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain and redness. **-Skin Contact:** Drying of the skin.

-Inhalation: Nasal discomfort and coughing.-Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 41435 mg/kg
ATEmix (dermal): 17143 mg/kg
ATEmix (inhalation-gas): 1669319 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h
Butane 106-97-8	Not Available	Not Available	= 658 g/m³ (Rat) 4 h
Sorbitan Oleate 1338-43-8	> 39800 mg/kg ( Rat )	Not Available	Not Available
Polysorbate 80 9005-65-6	= 34500 μL/kg (Rat)	Not Available	Not Available
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available
Phenethyl Alcohol 60-12-8	= 1609 mg/kg (Rat)	= 2535 mg/kg ( Rabbit )	> 4.63 mg/L (Rat) 4 h
Linalool 78-70-6	= 2790 mg/kg (Rat)	Not Available	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Phenylacetaldehyde Dimethyl Acetal 101-48-4	= 3500 μL/kg (Rat)	Not Available	Not Available
Methyl Phenylbutanol 103-05-9	= 2200 mg/kg (Rat)	Not Available	Not Available
Isopropylcyclohexanol 4621-04-9	= 2750 mg/kg (Rat)	Not Available	Not Available
Isopropyl Myristate 110-27-0	> 10000 mg/kg (Rat)	= 5 g/kg(Rabbit)	> 41 mg/L (Rat) 1 h
Hexamethylindanopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg ( Rabbit )	Not Available
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg ( Rabbit )	Not Available
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Amyl Cinnamal	= 3730 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	Not Available

122-40-7
2-T-Butylcyclohexyl Acetate = 4600 mg/kg ( Rat ) Not Available Not Available 88-41-5

Revision Date: 01-Dec-2023

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Sodium Benzoate 532-32-1	Not Available	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	Not Available	650: 48 h Daphnia magna mg/L EC50
Phenethyl Alcohol 60-12-8	490: 72 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	287.17: 48 h Daphnia magna mg/L EC50
Linalool 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	20: 48 h Daphnia magna mg/L EC50
Methyl Phenylbutanol 103-05-9	Not Available	66.4: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available
Isopropyl Myristate 110-27-0	100: 72 h Desmodesmus subspicatus mg/L EC50	8400: 96 h Brachydanio rerio mg/L LC50 semi-static 8400: 96 h Brachydanio rerio mg/L LC50	Not Available	100: 48 h Daphnia magna mg/L EC50
Benzyl Alcohol 100-51-6	Not Available	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50

Persistence and Degradability:<br/>Bioaccumulation:No information available.<br/>No information available.Other Adverse Effects:No information available

## 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950

**Proper Shipping Name:** Aerosols, non-flammable

Hazard Class: 2.2

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

IMDG:

**UN/ID No:** UN1950

Proper Shipping Name: Aerosols, non-flammable

Hazard Class: 2.2

## 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Revision Date: 01-Dec-2023

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

## SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

No
Sudden release of pressure hazard:

Reactive Hazard:

No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

# **16. OTHER INFORMATION**

NFPA Health Hazards: 1 Flammability: 0 Instability: 1 Special: N/A

HMIS Health Hazards: 1 Flammability: 0 Physical Hazards: 2

Revision Date: 01-Dec-2023
Reasons for Revision: Revised formula

#### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**