



Revision Date: 21-Jul-2022

Safety Data Sheet

Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CONTEMPO CARPET REFRESHER
Product Number: 6410
Recommended Use: Carpet deodorant
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable Aerosols
Gases Under Pressure

Category 1
Liquefied gas

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Extremely flammable aerosol.
Contains gas under pressure; may explode if heated

Precautionary Statements:

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Do not spray on an open flame or other ignition source
Pressurized container: Do not pierce or burn, even after use
Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

Response:

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F Store in a well-ventilated place

Disposal:

Not Applicable

Hazards Not Otherwise Classified:

Not Applicable

Other Information:

- May cause skin irritation.
- May cause eye irritation

- May be harmful if swallowed
- Inhalation of vapors or mist may cause respiratory irritation.
- Extinguish all flames, pilot lights and other sources of ignition before using this product. Vapors can travel along the floor to a source of ignition and start a fire.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Propane	74-98-6	3-7
Butane	106-97-8	1-5
Alcohol	64-17-5	1-5
Fragrance	PROPRIETARY	0.1-1
C12-14 Sec-Parath-9	84133-50-6	0.1-1
Sodium Benzoate	532-32-1	0.1-1
Sodium Nitrite	7632-00-0	0.1-1
Sodium Lauroyl Sarcosinate	137-16-6	0.1-1
Sodium Lauryl Sulfate	151-21-3	0.1-1
Morpholine	110-91-8	<0.1
Linalool	78-70-6	<0.1
MIPA-Borate	26038-90-4	<0.1
MEA-Borate	26038-87-9	<0.1
Neryl Acetate	141-12-8	<0.1
Linalyl Acetate	115-95-7	<0.1
Limonene	5989-27-5	<0.1
Geranyl Acetate	105-87-3	<0.1
Geraniol	106-24-1	<0.1
Citronellol	106-22-9	<0.1
Citral	5392-40-5	<0.1
Allyl Cyclohexylpropionate	2705-87-5	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Water spray (fog), Foam
- Specific Hazards Arising from the Chemical:** Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Bursting aerosol containers may be propelled from fire at high speed.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Remove all sources of ignition.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Take precautionary measures against static discharges. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Extinguish all flames, pilot lights and other sources of ignition before using this product. Vapors can travel along the floor to a source of ignition and start a fire.
Storage Conditions:	NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Morpholine 110-91-8	TWA: 20 ppm S*	TWA: 20 ppm TWA: 70 mg/m ³ (vacated) TWA: 20 ppm (vacated) TWA: 70 mg/m ³ (vacated) STEL: 30 ppm (vacated) STEL: 105 mg/m ³ (vacated) S* S*	IDLH: 1400 ppm TWA: 20 ppm TWA: 70 mg/m ³ STEL: 30 ppm STEL: 105 mg/m ³
Citral 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-	-

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
------------------------------	--

Personal Protective Equipment

Eye/Face Protection:	Not required with expected use.
Skin and Body Protection:	Not required with expected use.
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol
Color:	White
Odor:	Pleasant
pH:	7.5-8.0
Melting Point / Freezing Point:	No information available
Boiling Point / Boiling Range:	93 °C / 199 °F (Product without propellant)
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)
Evaporation Rate:	< 1
Flammability (solid, gas)	No information available
Upper Flammability Limit:	No information available
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available
Vapor Density:	No information available
Specific Gravity:	0.98-0.99 (Product without propellant)
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity:	No information available

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain and redness.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.
Target Organ Effects:	Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	32223 mg/kg
ATEmix (inhalation-gas):	3153416 mg/l
ATEmix (inhalation-dust/mist):	36.7 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h
Butane 106-97-8	Not Available	Not Available	= 658 g/m ³ (Rat) 4 h
Alcohol	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h

64-17-5			
C12-14 Sec-Pareth-9 84133-50-6	= 2100 mg/kg (Rat)	Not Available	Not Available
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	Not Available	= 5.5 mg/L (Rat) 4 h
Sodium Lauryl Sulfate 151-21-3	= 1288 mg/kg (Rat)	= 200 mg/kg (Rabbit)	> 3900 mg/m ³ (Rat) 1 h
Morpholine 110-91-8	= 1050 mg/kg (Rat)	310 - 810 mg/kg (Rabbit)	= 8000 ppm (Rat) 8 h
Linalool 78-70-6	= 2790 mg/kg (Rat)	Not Available	Not Available
Neryl Acetate 141-12-8	> 5 g/kg (Rat)	Not Available	Not Available
Linalyl Acetate 115-95-7	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Limonene 5989-27-5	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Geranyl Acetate 105-87-3	= 6330 mg/kg (Rat)	Not Available	Not Available
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	Not Available
Citral 5392-40-5	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	Not Available
Allyl Cyclohexylpropionate 2705-87-5	= 585 mg/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA The table below indicates whether each agency has listed any ingredient as a carcinogen

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Alcohol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
C12-14 Sec-Pareth-9 84133-50-6	Not Available	3.2: 96 h Pimephales promelas mg/L LC50	Not Available	3.2: 48 h water flea mg/L EC50
Sodium Benzoate 532-32-1	Not Available	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	Not Available	650: 48 h Daphnia magna mg/L EC50
Sodium Nitrite 7632-00-0	Not Available	0.19: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.092 - 0.13: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.4 - 0.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.65 - 1: 96 h Oncorhynchus mykiss mg/L LC50 static 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 20: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available
Sodium Lauryl Sulfate 151-21-3	53: 72 h Desmodesmus subspicatus mg/L EC50 30 -	8 - 12.5: 96 h Pimephales promelas mg/L LC50 static	Not Available	1.8: 48 h Daphnia magna mg/L EC50

	100: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 117: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 3.59 - 15.6: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static	15 - 18.9: 96 h <i>Pimephales promelas</i> mg/L LC50 static 22.1 - 22.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4.3 - 8.5: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 4.62: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 5.8 - 7.5: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10.2 - 22.5: 96 h <i>Pimephales promelas</i> mg/L LC50 semi-static 6.2 - 9.6: 96 h <i>Pimephales promelas</i> mg/L LC50 13.5 - 18.3: 96 h <i>Poecilia reticulata</i> mg/L LC50 semi-static 10.8 - 16.6: 96 h <i>Poecilia reticulata</i> mg/L LC50 static 1.31: 96 h <i>Cyprinus carpio</i> mg/L LC50 semi-static 4.2: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 7.97: 96 h <i>Brachydanio rerio</i> mg/L LC50 flow-through 9.9 - 20.1: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 4.06 - 5.75: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 4.2 - 4.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 4.5: 96 h <i>Lepomis macrochirus</i> mg/L LC50		
Morpholine 110-91-8	28: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static	350: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 375 - 460: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 1000: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	Not Available	Not Available
Linalool 78-70-6	88.3: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	Not Available	Not Available	20: 48 h <i>Daphnia magna</i> mg/L EC50
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 35: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	Not Available	Not Available
Citral 5392-40-5	16: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 19: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	Not Available	Not Available	7: 48 h <i>Daphnia magna</i> mg/L EC50

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1
Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity.
 Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG:
UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1
Additional information: Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	Yes
Sudden release of pressure hazard:	Yes
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health Hazards: 1	Flammability: 2	Instability: 0	Special: N/A
HMIS	Health Hazards: 1	Flammability: 2	Physical Hazards: 2	

Revision Date: 21-Jul-2022
Reasons for Revision: Section, 3

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet